

axis



MOBILE ENTERTAINMENT

2-DIN SOURCE UNITS



AX1508NAV
6.8" MULTIMEDIA PLAYER
with NAVIGATION



iGO Primo is a world class intelligent navigation software platform used in millions of devices worldwide. Upgrading to the latest mapping has never been easier. Simply log on to naviextras.com, select your device and upgrade.*



AX1507BT
6.2" MULTIMEDIA PLAYER



AX1504BT
12/24 VOLT CD PLAYER



• AGRICULTURAL & COMMERCIAL •
MULTIVOLT
12/24 VOLT

6 SELECTABLE
MULTI-COLOUR DISPLAY
with Illuminated Controls.



	TOUCHSCREEN	NAVIGATION	BLUETOOTH HANDSFREE	AUDIO STREAMING	AM/FM	DVD	CD	USB	SD
AX1508NAV	6.8"	•	•	•	•	•	•	•	•
AX1507BT	6.2"	•	•	•	•	•	•	•	•
AX1504BT			•	•	•		•	•	•

2-DIN FACIA KITS



TOYOTA

**FTH8-A
TOYOTA HILUX**

- Gen 8 2015+



ISUZU

**FIDM-A
ISUZU D-MAX/M-UX**

- D-MAX 2012+

- M-UX 2013+



All Navigation Upgrade kits include: Facia, Wiring Harness and any required Brackets or Switches. The Plug 'n' Play Harnesses are made specifically for Axis 2-Din Head Units, including Steering Wheel Control connection for easy installation.



HOLDEN

**FHCRG-A
HOLDEN COLORADO**

- RG 2012 - 2014 (MY13)



FORD

**FFRPX-A
FORD RANGER**

- PX 2012 - 2015

- Includes CANBUS Module*



OTHER MODELS ALSO AVAILABLE!

A/V INPUT	AUX-IN	CAMERA-IN	4 x 45W	4 x 40W	4CH + SUB PRE-OUT	2CH + SUB PRE-OUT	2CH PRE-OUT	STEERING WHEEL CONTROL	iPOD CONTROL
2		•	•		•			•	
2	•	•		•	•		•	•	

* SWC phone control not available.

1-DIN SOURCE UNITS



AX1577NAV
7" MOTORISED TOUCHSCREEN
with NAVIGATION



AX1505BT
DVD with BLUETOOTH



AX1502BT
CD with BLUETOOTH



AX1206BT
3" TOUCHSCREEN DVD with BLUETOOTH



AX1501
CD - MULTIMEDIA



	TOUCHSCREEN	NAVIGATION	BLUETOOTH HANDSFREE	AUDIO STREAMING	12/24 Volt	Ultra Memory	AM/FM	DVD	CD	USB
AX1577NAV	7.0"	•	•	•			•	•	•	•
AX1206BT	3.0"		•	•			•	•	•	•
AX1505BT			•	•			•	•	•	•
AX1502BT			•	•			•		•	•
AX1501							•		•	•
AX1504BT			•	•	•	•	•		•	•
AX1503BT			•	•	•	•	•		•	•
AX1500BT			•	•	•	•	•			•
AX1500					•	•	•			•
AX1300BT			•	•	•	•	•			•

SOURCE UNITS

INDUSTRIAL & COMMERCIAL MULTIVOLT

12/24 VOLT



Multivolt (12-24V) source units are built rugged and ideal for trucking, agricultural, construction & commercial industries. No additional voltage reducer means that you save time and money.

ULTRA
MEMORY

Ultra Memory stores the programmed memory data of a source unit even when the battery is disconnected. A valuable feature for agricultural and civil applications.



AX1504BT - See Page 2
2-DIN 12/24 VOLT CD PLAYER



AX1503BT
12/24V CD with BLUETOOTH



AX1300BT
12/24V CD MECHLESS with BLUETOOTH
(Short Chassis 120mm) BUILT-IN SPEAKERS



AX1500BT
12/24V CD MECHLESS with BLUETOOTH
(Short Chassis 86mm)



AX1500
12/24V MECHLESS
(Short Chassis 86mm)

SD	A/V INPUT	AUX-IN	CAMERA -IN	4 x 45W	4 x 40W	4 x 25W	4CH + SUB PRE-OUT	2CH + SUB PRE-OUT	2CH PRE-OUT	STEERING WHEEL CONTROL	iPOD CONTROL
	2		.	.			.			.	
.	1	1	.		.		.				30-Pin Type
.		2		.			.			.	
.		2		.				.			
.		2		.					.	.	
.		1			.			.			
.		2			.				.		
.		1				.			.		
.		1				.			.		
.		1				.			.		

REAR SEAT ENTERTAINMENT




AX1513
13.3" LED FLIP DOWN FULL HD
DVD MONITOR



AX1511
10.1" LED FLIP DOWN DVD MONITOR



AX1509
9" LED TWIN HEADREST DVD PLAYERS
with 2 PAIR IR HEADPHONES



AX1499
9" LED ACTIVE CLIP-ON HEADREST
DVD PLAYER

	SCREEN	1080p FULL HD	DVD	CD	HDMI	USB	SD	A/V INPUT	A/V OUTPUT	IR TRANSMITTER	FM MODULATOR	HEADPHONE JACK	INCLUDES HEADPHONES
AX1513	13.3"	•	•	•	•	•	•	•	•	•	•	•	•
AX1511	10.1"		•	•		•	•	2	•	•	•		
AX1509	9"		•	•		•	•	2	•	•	•	•	•
AX1499	9"		•	•		•	•	2	•	•	•	•	

12 VOLT

LED TV'S with DVD



Conformal Coating material is a thin polymeric film which 'conforms' to the contours of a printed circuit board to protect the board's components. Applied to electronic circuitry to act as protection against moisture, dust, chemicals.



Like the familiar VCR, **PVR** records and plays back television programs and movies but, unlike the VCR, it stores the programs in digital (rather than analog) format onto a USB or HDD.



AX1519



AX1522



AX1524



AX1532



A full range of
MOUNTING BRACKETS
available



Truck



Caravan



Boat



	SCREEN SIZE	12/240V	1080p FULL HD	720p HD	DTV	PVR	BUILT- IN DVD	HDMI	YPbPr	VGA	A/V INPUT	USB	DIGITAL COAX	HEADPHONE JACK	CONFORMAL COATING	DIMENSIONS WITHOUT STAND W x H x D mm
AX1519	18.5"	•	•	•	•	•	•	1	•	•	•	•	•	•	•	447 x 270 x 40
AX1522	21.5"	•	•	•	•	•	•	1	•	•	•	•	•	•	•	513 x 308 x 40
AX1524	23.5"	•	•	•	•	•	•	1	•	•	•	•	•	•	•	562 x 336 x 40
AX1532	31.5"	•	•	•	•	•	•	3	•	•	•	•	•	•	•	735 x 433 x 80

SPEAKERS



XT PRO SERIES



XT4002
4" (100mm) 2-WAY



XT5003
5.25" (130mm) 3-WAY



XT6002
6" (160mm) 2-WAY



XT6503
6.5" (165mm) 3-WAY



XT6022
6" (160mm) COMPONENT



XT6905
6x9" (165 x 240mm) 5-WAY

	DIMENSIONS	DESCRIPTION	IMPEDANCE	RMS	MAX POWER	FREQUENCY RESPONSE	MOUNTING DEPTH	MOUNTING HOLE	MAGNET (oz)
XT4002	100mm (4")	2-Way Coaxial	4 Ohm	25W	90W	90Hz - 20Khz	49mm	94mm	5.4
XT5003	130mm (5.25")	3-Way Triaxial	4 Ohm	30W	120W	80Hz - 20Khz	55mm	115mm	8.9
XT6002	160mm (6")	2-Way Coaxial	4 Ohm	35W	130W	65Hz - 20Khz	58mm	126mm	8.9
XT6503	165mm (6.5")	3-Way Triaxial	4 Ohm	40W	150W	65Hz - 20Khz	62mm	142mm	11.2
XT6022	160mm (6")	2-Way Component	4 Ohm	45W	200W	60Hz - 20Khz	58mm	126mm	10
XT6905	165 x 240mm (6 x 9")	5-Way Multiaxial	4 Ohm	70W	240W	55Hz - 20Khz	85mm	152 x 222mm	20.8



AX INSTALLER SERIES



AX5036
5" (125mm) 3-WAY



AX5036W
5" (125mm) 3-WAY



AX603
6" (158mm) 3-WAY



AX333
SURFACE MOUNT 3-WAY



AX222
3" ENCLOSURE 2-WAY



AX442
4" CABINET TYPE 2-WAY

	DIMENSIONS	DESCRIPTION	IMPEDANCE	RMS	MAX POWER	FREQUENCY RESPONSE	MOUNTING DEPTH	MOUNTING HOLE	MAGNET (oz)
AX5036	125mm (5")	3-Way Triaxial	4 Ohm	30W	150W	100Hz - 19Khz	32mm	108mm	5.2
AX5036W	125mm (5")	3-Way Triaxial	4 Ohm	30W	150W	100Hz - 19Khz	32mm	108mm	5.2
AX603	158mm (6")	3-Way Triaxial	4 Ohm	25W	100W	60Hz - 22Khz	47mm	124mm	10
AX333	210 x 110 x 120D	3-Way Triaxial	4 Ohm	45W	120W	60Hz - 25Khz	-	-	4
AX222	95 x 95 x 67	2-Way Coaxial	4 Ohm	40W	80W	75Hz - 18Khz	-	-	3
AX442	110 x 110 x 100	2-Way Coaxial	4 Ohm	15W	50W	80Hz - 22Khz	-	-	5.4



AX STREET SOUND SERIES



AX100
4" (100mm) DUAL CONE



AX133
5.25" (130mm) 3-WAY



AX463
4x6" (100 x 160mm) 3-WAY



AX573
5x7" (140 x 190mm) 3-WAY

A full range of

WIRING & INSTALLATION SOLUTIONS

available



	DIMENSIONS	DESCRIPTION	IMPEDANCE	RMS	MAX POWER	FREQUENCY RESPONSE	MOUNTING DEPTH	MOUNTING HOLE	MAGNET (oz)
AX100	100mm (4")	Dual Cone	4 Ohm	35W	150W	70Hz - 23Khz	48mm	94mm	5.2
AX133	130mm (5.25")	3-Way Triaxial	4 Ohm	35W	220W	60Hz - 23Khz	48mm	112mm	7.6
AX463	100 x 160mm (4 x 6")	3-Way Triaxial	4 Ohm	35W	200W	60Hz - 23Khz	46mm	99 x 155mm	7.6
AX573	140 x 190mm (5 x 7")	3-Way Triaxial	4 Ohm	40W	250W	23Hz - 23Khz	54mm	126 x 182mm	7.6



MARINE & ALL-TERRAIN SERIES



MA301
3" (70mm)
FULL RANGE



MA401
4" (100mm)
DUAL CONE



MA502
5" (130mm)
2-WAY COAXIAL



MA500S/B
5" (130mm) - WHITE OR BLACK
ULTRA SLIM FULL RANGE



MA6502
6.5" (165mm)
2-WAY COAXIAL



MA6902
6 x 9" (160 x 240mm)
2-WAY COAXIAL



MA442
4" (110 x 110 x 100mm)
2-WAY BOX



MA9702
190 x 150 x 160mm
2-WAY CABINET

	DIMENSIONS	DESCRIPTION	IMPEDANCE	RMS	MAX POWER	MOUNTING DEPTH	MOUNTING HOLE
MA301	70mm (3")	Full Range	4 Ohm	15W	50W	55mm	74mm
MA401	100mm (4")	Dual Cone	4 Ohm	25W	90W	48mm	96mm
MA502	130mm (5")	2-Way Coaxial	4 Ohm	30W	130W	56mm	113mm
MA500S	130mm (5")	Full Range	4 Ohm	15W	60W	25mm	110mm
MA500B	130mm (5")	Full Range	4 Ohm	15W	60W	25mm	110mm
MA6502	165mm (6.5")	2-Way Coaxial	4 Ohm	40W	160W	60mm	152mm
MA6902	160 x 240mm (6x9")	2-Way Coaxial	4 Ohm	60W	200W	78.5mm	152 x 224mm
MA442	110 x 110 x 100mm	2-Way Coaxial	4 Ohm	15W	50W	-	-
MA9702	190 x 150 x 160mm	2-Way Coaxial	4 Ohm	50W	200W	-	-

AMPLIFIERS



XT4D
4 CHANNEL CLASS D AMP



XT1D
MONO CLASS D AMP



	TYPE	CH	MAX POWER	RMS POWER @4 OHMS	RMS POWER @2 OHMS	RMS BRIDGED @4 OHMS	S/N RATIO	THD	HI-PASS CROSSOVER	LOW-PASS CROSSOVER	SUBSONIC FILTER	PHASE CONTROL	HI-LEVEL INPUT	REMOTE VOLUME	DIMENSIONS L x W x H mm
XT4D	Class D	4	800W	4 x 75W	4 x 115W	240W	90dB	0.2%	50-500Hz	50-500Hz		•	•	•	204 x 170 x 51
XT1D	Class D	1	1880W	1 x 400W	1 x 700W		99dB	0.5%		30-200Hz	10-60Hz	•	•	•	162 x 170 x 51

SUBWOOFERS


A full range of
WIRING & CABLING SOLUTIONS
available



400W



XT12B
12" SHALLOW MOUNT SUBWOOFER





250W



XT1408A
8" AMPLIFIED COMPACT SUBWOOFER



250W



XT1110A
10" AMPLIFIED SUBWOOFER

	TYPE	DRIVER	MAX POWER HANDLING	RMS POWER HANDLING	BUILT-IN AMP MAX POWER	BUILT-IN AMP RMS POWER	RCA INPUT	HI-LEVEL INPUT	AUTO TURN-ON	LOW-PASS CROSSOVER	PHASE CONTROL	REMOTE VOLUME	DIMENSIONS W x H x D mm
XT1408A	Active	8"			250W	125W	•	•		50-125Hz	•	•	250 x 265 x 118
XT1110A	Active	10"			250W	180W	•	•	•	30-160Hz	•	•	370 x 80 x 275
XT12B	Passive	12" (4 Ohm)	400W	250W									500 x 360 x 200/90



axis

CAR AUDIO



**2 YEAR
WARRANTY**

