

axis



MOBILE SAFETY

CRASH CAMS & DVR SYSTEMS



DVR1
FLIP DOWN HD DVR



DVR2
DUAL CAMERA DVR
with GPS



DVR3
OEM HIDDEN STYLE
FULL HD DVR with WiFi



DVR4
COMPACT FULL HD DVR
with GPS



DVR5
FULL HD DVR with GPS
and NIGHT VISION



DVR6
COMPACT SUPER HD DVR
with GPS - 256GB CAPACITY



DVR1543K
DUAL CAMERA DVR & 4.3" LCD CLIP-ON
MIRROR MOUNT SYSTEM



Input



DVR42TB
4 CHANNEL DVR BLACK BOX RECORDER
SUPPORTS UP TO 2TB PORTABLE HDD



Digital Video Recorders or in-car 'Black Boxes', record driving environments & capture traffic incidents, protecting you from fraudulent claims or accident disputes! Axis caters for every vehicle type and application from car & SUV to truck & plant, preserving your journey in high definition.



Automatically detects sudden changes with collisions or near-miss/harsh breaking scenarios, initiating auto-record & video file protection, which can then be used by police & insurance companies to verify the facts! Activate to enable visual movement in front of the camera to trigger auto-recording.



Set up your Axis DVR for continuous on or off-road journey capture. Ideal for recreational drivers and 4WD enthusiasts, fleet managers or even parents that want to assess the safety of younger drivers. Axis DVR's range from 32GB to a massive 2TB capacity.



Intelligent & accurate logging of the vehicle's position, speed & point of impact, providing the additional advantage of viewing your trip or incident while overlaid on Google maps via your PC & the included software.



Axis has engineered some of the most compact models available in Australia featuring a simple plug 'n' play solution with neat & discreet internal windscreen mounting or hardwired hidden style units.



A full range of
MEMORY CARDS
available



	RECORD TYPE	MAX RESOLUTION	DIAGONAL VIEWING ANGLE	DISPLAY	GPS	WIFI	MAX CARD SUPPORTED	CARD INCL (TLC/CLASS 10)	CARD TYPE	NIGHT VISION LED'S	G-SENSOR	MOTION DETECTION	PARKING MONITORING	LANE DEPARTURE	HDMI OUTPUT	USB OUTPUT	A/V OUTPUT	12/24V CIG CAR CHARGER	HARD WIRING KIT
DVR1	Single	720p*	120°	2"			32GB		SD		•	•			•	•		•	
DVR2	Dual	720/480p	120°/140°	2.7"	•		32GB		Micro SD		•	•			•	•		•	
DVR3	Single	1080p	120°			•	32GB	32GB	Micro SD		•	•			•	•	•▲		•
DVR4	Single	1080p	130°	1.5"	•		32GB	32GB	Micro SD		•	•			•	•		•	
DVR5	Single	1080p	150°	2.7"	•		64GB	64GB	Micro SD	•	•	•	•		•	•		•	
DVR6	Single	1296p	135°	1.5"	•		2 x 128GB		Micro SD		•	•		•	•	•		•	•
DVR1543K	Dual	720/480p	140°	4.3"			32GB		Micro SD		•	•			•	•		•	
DVR42TB	Quad	576i			•		4 x 128GB		SD		•	•				•#	•		•

* 720p with 1080p upscaling. ▲ RCA video out only. # 2TB Portable HDD Support. (not included)

REVERSE DISPLAY

WIRELESS SYSTEMS



Axis has developed a range of powerful wireless monitor & camera systems for universal applications! With commercial grade components, these kits are designed to work with a range of vehicles, from passenger cars and 4WD's, to trucks, buses or heavy plant & machinery. Less cables means less fuss and a reliable way to get to work safely and efficiently! Choose from the pre-bundled packs or build your own with our wireless conversion and power supply options.

JS358W 3.5" WIRELESS PLUG 'N' PLAY HITCH SYSTEM with MAGNETIC MOUNT CAMERA



Camera



JS056WK 5.6" LCD DIGITAL WIRELESS SYSTEM with SPLIT SCREEN MODE



CC007W EXTRA WIRELESS CAMERA



Camera




JS007WQK 7" LCD HEAVY DUTY WIRELESS SYSTEM with QUAD VIEW RECORDING SUPPORTS UP TO 128GB

CC007W EXTRA WIRELESS CAMERA




REVERSE DISPLAY


WIRELESS CONVERSION



4-Pin Monitor



Universal RCA Monitor



WR056 2.4GHz RECEIVER MODULE TO CONNECT CC056W TO ANY MONITOR

CC056W WIRELESS HEAVY DUTY CAMERA with NIGHT VISION



Up to 14hrs
7800mAh
IP66
WEATHER
PROOF

AC509 UNIVERSAL POWER SUPPLY with MAGNETIC MOUNT. IDEAL FOR WIRELESS APPLICATIONS.

	DISPLAY	MAX CAMERAS PAIRED	MAX RANGE	SPLIT SCREEN	MONITOR SELECTABLE GUIDELINES	MONITOR MIRROR IMAGE SELECT	BUILT-IN SPEAKER	RECORDING FEATURE	12/24V MONITOR	A/V INPUTS/ OUTPUTS	MONITOR DIMENSIONS	12/24V CAMERA	CAMERA W'PROOF RATING	NIGHT VISION	DIAGONAL VIEWING ANGLE	3dB ANTENNA WITH 3m LEAD	WORKS WITH
JS358W	3.5"	1	20m								90 x 69	9V Battery*	IP69	•	120°		
JS056WK	5.6"	4	120m	1,2	•	•	•		•		165 x 113 x 32	•	IP69K	•	120°	•	CC007W
JS007WQK	7"	4	120m	1,2,3,4	•	•	•	128GB#	•		184 x 124 x 28	•	IP69K	•	120°	•	CC007W
CC007W			120m						•			•	IP69K	•	120°		JS056W/JS007WQK
CC056W			120m						•			•	IP69K	•	120°		WR056
WR056		1	120m						•	4-Pin out			IP69				CC056W

* Battery not included. # SD card not included.

DISPLAY SYSTEMS



Dual Mount



JS035K
3.5" LCD DASH
MOUNT SYSTEM



Clip-On



Dual Mount



JS043K
4.3" LCD CLIP-ON
MIRROR MOUNT SYSTEM



JS005K
5" LCD 4WD/LIGHT
TRUCK SYSTEM


QUICK RELEASE
TRAILER CABLE!


Universal Towing Solutions:



Caravan



Boat



Horse Float

JS055CK
- SERIES 2

5" LED DIGITAL MONITOR
with 2 CAMERA CARAVAN KIT



JS022K
7" LED BUS/TRUCK SYSTEM



	DISPLAY	TOUCHSCREEN	LED BACKLIGHTING	16:9	PAL/NTSC	SPLIT SCREEN	MONITOR WATERPROOF RATING	CAMERA WATERPROOF RATING	4-PIN INPUT	RCA INPUT	12/24V MONITOR	RECORDING FEATURE	BUILT-IN SPEAKER	MONITOR SELECTABLE GUIDELINES
JS035K	3.5"				•			IP66		2	•			
JS043K	4.3"	•		•	•			IP66		2				
JS005K	5"							IP68	1	1	•			•
JS055CK S2	5"		•	•	•			IP66/IP67	2	with incl adaptor	•		•	
JS022K	7"		•	•	•			IP67	2		•		•	•
JS055	5"		•	•	•				2		•		•	
MO5001WP	5"				•		• (IP67)		3		•		•	•
JS056	5.6"		•		•					2	•		•	•
MO7001WP	7"			•	•		• (IP67)		3		•		•	•
AX1570	7"		•	•	•				2		•		•	
JS021	7"		•	•	•	1,2,3,4			4	1 via incl adaptor	•		•	•
JS1409Q	9"	•		•	•	1,2,3,4			4	1	•		•	
JS1409DVR	9"	•		•	•	1,2,3,4			4	1	•	32GB#	•	

SD card not included.

MONITORS



JS055
5" LED MONITOR



JS056
5.6" LED MONITOR



AX1570
7" LED MONITOR



Quad
View



JS021
7" HEAVY DUTY
LED MONITOR with QUAD VIEW



Touch
Screen



JS1409DVR
9" TOUCHSCREEN
QUAD LCD MONITOR
with RECORDING



Touch
Screen



JS1409Q
9" TOUCHSCREEN
QUAD LCD MONITOR



MO5001WP
MO7001WP
WATERPROOF
DELUXE LCD MONITOR



MONITOR MIRROR IMAGE SELECT	HEADPHONE IR TRANSMITTER	MONITOR DIMENSIONS	CAMERA TYPE	DIAGONAL VIEWING ANGLE	NIGHT VISION	SUN SHADE	U-BRACKET	CENTRE BRACKET	REMOTE	LEADS INCLUDED
		97 x 83 x 35	CMOS	150°		•		•		6m RCA
		275 x 80 x 24	CMOS	150°						8m Camera to Monitor
•		147 x 109 x 28	CCD	120°	•			•	•	20m 4-Pin
•		145 x 108 x 26	CMOS/CCD	150°/120°	NO/YES	•	•	•	•	15m & 10m 4-Pin. 6m RCA. TQC
•		180 x 123 x 37	CCD	120°	•	•		•	•	20m 4-Pin.
		145 x 108 x 26				•	•	•	•	
•		157 x 112 x 28				•		•	•	
•		156 x 105 x 25				•		•	•	
•		197 x 132 x 30				•	•	•	•	
•	•	183 x 123 x 35				•	•	•	•	
•		180 x 123 x 37				•		•	•	
•		232 x 157 x 40				•	•	•	•	
•		232 x 157 x 40				•	•	•	•	

CAMERAS

ENGINEERED FOR
CONTINUOUS OPERATION



Metal
Case



C02
BUMPER MOUNT
with NIGHT VISION Ø 31mm

150°



C19
MINI BUMPER MOUNT
Ø 18.5mm

150°



Dual
Mount



C20
WIDE ANGLE
MULTI-FIT Ø 13mm

ENGINEERED FOR
CONTINUOUS OPERATION



Metal
Case



C03
SURFACE MOUNT
with NIGHT VISION



C22
MINI SURFACE MOUNT
with NIGHT VISION



Metal
Case

ENGINEERED FOR
CONTINUOUS OPERATION



360°
ROTATING LENS

C40
HEAVY DUTY 360° MOUNT
with NIGHT VISION

Axis is in the business of saving lives, protecting property and increasing efficiency!

1 child
every
week

in Australia is
run over in the
driveway of
their home

#2

cause of
accidental
death for
young children at
home:
**Driveway
Accidents**

**Driveway
Deaths:**

2 in 3

vehicles are
driven by a
parent or relative

1 in 3

fatalities
involve 4WD's/
SUV's

**Truck &
Worker
Safety:**

Truck related
incidents account
for
30% of all
worker fatalities

50%

of these
deaths occurred in
transport, postal and
warehousing
workplaces

79

workers die
each year in an
incident involving
a truck

1 in 6

related deaths
occurred while
loading or
unloading



	DIAGONAL VIEWING ANGLE	CAMERA WATERPROOF RATING	NIGHT VISION	MULTI- FIT	CAMERA GUIDELINES	AUDIO MIC	MIRROR/ NORMAL SELECT	ENGINEERED FOR CONTINUOUS OPERATION	CONNECT TYPE	LEADS INCLUDED	DIMENSIONS WITHOUT BRACKET/HOOD
C02	120°	IP67	•				•	•	RCA		35 x 35 x 37
C03	120°	IP67	•				•	•	RCA		30 x 30 x 38
C19	150°	IP67					•		RCA	8m RCA	18 x 18 x 30
C20	150°	IP66		•	•		•		RCA	6m RCA	15 x 15 x 25
C22	120°	IP67	•				•		RCA	6m RCA	20 x 20 x 23
C40	150°	IP69	•	•				•	RCA	40cm Fly Lead	57 x 44 x 68
CC05	120°	IP67	•				•		4-Pin	15m 4-Pin. 4-Pin to RCA adaptor	52.3 x 40.3 x 54
CC10 S2	120°	IP67	•			•	•		4-Pin	15m 4-Pin. 4-Pin to RCA adaptor	74 x 47 x 65
CC20	150°	IP68	•			•	•		4-Pin	20m 4-Pin. 4-Pin to RCA adaptor	67 x 38 x 51
CC50	120°	IP67	•						2 x 4-Pin		95 x 50 x 50
CC60	69°	IP69	•					•	4-Pin	1m Flylead	76 x 37 x 37
CC70M	120°	IP69	•			•	•	•	4-Pin	20m 4-Pin. 4-Pin to RCA adaptor	102 x 58 x 72
CC71M	150°	IP69K	•			•	•	•	4-Pin	20m 4-Pin. 4-Pin to RCA adaptor	105 x 56 x 56
ECC80/W	130°	IP69	•			•	•		4-Pin	20m 4-Pin. 4-Pin to RCA adaptor	92 x 52 x 67

CAMERAS



Compact



CC05
COMPACT
CAMERA



Hi-Res
Sensor



CC10 SERIES 2
HIGH RESOLUTION
with NIGHT VISION



CC20
WIDE ANGLE
HEAVY DUTY
with NIGHT VISION



CC50
TWIN CAMERAS
HEAVY DUTY
with NIGHT VISION



CC60
FORKLIFT
CAMERA



CC70M
HEAVY DUTY
with SHUTTER



ENGINEERED FOR
CONTINUOUS OPERATION



Tilt
View



CC71M
HEAVY DUTY
TILT CAMERA
- 3 POSITION



ENGINEERED FOR
CONTINUOUS OPERATION



ECC80/ECC80W
HEAVY DUTY
TRUCK TYPE



DUST WATER

IP RATINGS CHART

	DUST	WATER
IP66	Dust Tight	Jets of water for limited time
IP67	Dust Tight	1m deep in water for 30 minutes
IP68	Dust Tight	1m deep in water for long periods of time
IP69	Dust Tight	As above + high pressure water
IP69K	Dust Tight	As above + high temperature water

4-PIN

CONNECTIVITY & ACCESSORIES

TFT MONITORS

4 Pin Locking Socket (Female) Connection

Video
(Yellow)

Audio
(White)

Power
(Red)

Ground
(Black)



CCD CAMERAS


4 Pin Locking Plug (Male) Connection

Audio
(White)

Video
(Yellow)

Ground
(Black)

Power
(Red)



AXM-4P
6m, 10m, 20m 4-Pin Extension Cables



AX4P-M/RCA-F
4-Pin Male to RCA F Adapter



AX4P-F/RCA-M
4-Pin Female to RCA M Adapter



AX4M/M
4-Pin Male to Male Adapter



AX4F/F
4-Pin Female to Female Adapter



RCA2M
RCA Male to RCA Male Adapter



RCA2F
RCA Female to RCA Female Socket Adapter

PARKING SENSOR KITS



APS200B
2 SENSOR KIT



APS400B
4 SENSOR KIT



APS400
4 SENSOR KIT
with LED DISPLAY

RUBBER SENSORS



FOR METAL BUMPERS



APS400R
4 RUBBER SENSOR KIT
with LED DISPLAY




APS400T
12/24V 4 SENSOR
BUS/TRUCK KIT



APS400W
12/24V 4 SENSOR
WIRELESS BUS/TRUCK KIT



APS800
8 SENSOR PARKING KIT
with LED DISPLAY



ABS2-4S
BLIND SPOT DETECTION SYSTEM
with 4 SENSOR PARKING KIT



S56
REPLACEMENT 18mm
COMPACT SENSOR



S53
REPLACEMENT 20mm
RUBBER SENSOR



S59
REPLACEMENT 25mm
BUS/TRUCK SENSOR



B02
PARKING
SENSOR BUZZER

	WIRED TYPE	WIRELESS TYPE	BLIND SPOT ASSIST	LED DISPLAY WITH BUILT IN BUZZER	BUZZER	SENSORS	18mm SENSOR	20mm RUBBER SENSOR	25mm RUBBER SENSOR	12/24V	WATERPROOF MODULE	SENSOR CABLE LENGTH	SUITS KIT
APS200B	•				•	2	•					2.5m	
APS400B	•				•	4	•					2.5m	
APS400	•			•		4	•					2.5m	
APS800	•			•		8	•					2.5m	
APS400R	•			•		4		•				2.5m	
ABS2-4S	•		•	•		4	•					2.5m	
APS400T	•				•	4			•	•	•	8m	
APS400W		•		•		4			•	•	•	2.5m	
B02	•				•							3.5m	All Wired
S56	•						•					2.5m	All Wired
S53	•							•				2.5m	All Wired
S59	•								•			8m	APS400W

MONITORING SYSTEMS



- Avoid Accidents
- Extend Tyre Life
- Avoid Blowouts
- Reduce Downtime
- Improve Handling
- Increase Fuel Efficiency



LIGHT VEHICLE



TPMS403
4 EXTERNAL TYPE - DIY
LIGHT VEHICLE



EK216J
4 EXTERNAL TYPE
LIGHT VEHICLE



EK216I
4 INTERNAL TYPE
LIGHT VEHICLE



HEAVY VEHICLE



TOWING



SPARE TYRES



x6

EK215H6
6 EXTERNAL TYPE
HEAVY VEHICLE



x22

EK215H22
22 EXTERNAL TYPE
HEAVY VEHICLE



x34

EK215T34
34 EXTERNAL TYPE
B-DOUBLE



TPV01
UNIVERSAL TPMS
VIDEO OUTPUT RECEIVER



EK228
IN-DASH LCD
MONITOR



EKM3
SOLAR POWER
MONITOR



RP02
TPMS TRAILER
EXCHANGE REPEATER



H188
EXTERNAL SENSOR



J101
EXTERNAL SENSOR



H101
INTERNAL SENSOR

	SENSOR TYPE	SENSORS INCLUDED	MAX SENSORS PAIRABLE	ANTI-THEFT SENSORS	PSI RANGE	HIGH-LOW PRESSURE ALERT	HIGH TEMP ALERT	FAST LEAK ALERT	LOW SENSOR BATTERY ALERT	12/24V	BATTERY POWERED DISPLAY	HARDWIRE POWERED	DISPLAY CIG CHARGER	SOLAR POWERED DISPLAY	DIMENSIONS
TPMS403	Cap	4	4	•	0 - 50	Low Only	•		•				•		43 x 49 x 46
EK216J	Cap	4	5	•	0 - 87	•	•	•	•				•		65 x 26 x 55
EK216I	Internal	4	5	•	0 - 87	•	•	•	•				•		65 x 26 x 55
EK215H6	Cap	6	22	•	0 - 188	•	•	•	•	•	•	•	•	•	116 x 68 x 25
EK215H22	Cap	22	22	•	0 - 188	•	•	•	•	•	•	•	•	•	116 x 68 x 25
EK215H34	Cap	34	38	•	0 - 188	•	•	•	•	•	•	•	•	•	116 x 68 x 25
TPV01			22			•	•	•	•				•		
EK228			4			46Hi/25Low	75°C	•	•	•		•			23 x 34 x 59
EKM3			5		15 - 189	•	•	•	•				•	•	76 x 33 x 93
RP02										•					90 x 38 x 15
H188	Cap			•	0 - 188										24mmØ x 19D
J101	Cap			•	0 - 87										21mmØ x 21D
H101	Internal			•	0 - 87										

REVERSE ALARM

SYSTEMS



BA97
97dB TONAL
BACKUP ALARM



BA102
102dB SQUAWK
BACKUP ALARM



BA107
107dB HEAVY DUTY SQUAWK
BACKUP ALARM

	TYPE	dB OUTPUT	WATERPROOF RATING	12-48V	POWER	CURRENT DRAW	DIMENSIONS	DIMENSIONS WITH BRACKET
BA97	BEEP	97	IP67	•	15W	250mA	70 x 69 x 40	102 x 69 x 40
BA102	SQUAWK/QUACK	102	IP67	•	15W	250mA	70 x 69 x 40	102 x 69 x 40
BA107	SQUAWK/QUACK	107/97	IP67	•	15W	250mA	127 x 77 x 103	127 x 77 x 103



LED - LIGHT DUTY

DAYTIME RUNNING LIGHTS



DRL9R
90mm (Pair)
CIRCULAR DESIGN



DRL10
100mm (Pair)
RECTANGULAR DESIGN



DRL16
160mm (Pair)
SLIMLINE DESIGN



DRL22
220mm (Pair)
SLIMLINE DESIGN



TRACKING



**AQT525
UNIVERSAL VEHICLE
TRACKING SYSTEM**

**AQT925
OBD II VEHICLE
TRACKING SYSTEM**

Tracking & Monitoring Activation:

NO CONTRACTS REQUIRED

- Option 1: Provides DIY tracking
\$19* for monthly tracking or \$228* for annual tracking.
- Option 2: Provides Tracking & Automated Monitoring with Email/SMS Alerts
\$24* for monthly tracking or \$288* for annual tracking.
- Option 3: Provides Tracking & Automated Monitoring plus 24/7 Back to Base Support/Monitoring
\$33* for monthly tracking or \$396* for annual tracking.

*Prices subject to change.



UNIVERSAL

DOOR LOCK KITS

UNIVERSAL

POWER WINDOW KITS



**DLK2
2 DOOR CENTRAL
LOCKING KIT**



**DLK4
4 DOOR CENTRAL
LOCKING KIT**



**PW2KMA
2 DOOR POWER
WINDOW KIT**



**DLA2
LOCK ACTUATOR
MOTOR - SLAVE**



**DLA5
LOCK ACTUATOR
MOTOR - MASTER**



**PW4KMA
4 DOOR POWER
WINDOW KIT**



axis
MOBILE SAFETY



**2 YEAR
 WARRANTY**

